LAMPIRAN: HASIL OUTPUT SPSS VERSI 22

UJI NORMALITAS DISTRIBUSI DATA

**One-Sample Kolmogorov-Smirnov Test**

| | | Y1 | X1_1 | Y2 | X1_2 | X2_1 | X2_2 |
|---|---|---|---|---|---|---|---|
| N | | 99 | 99 | 99 | 99 | 99 | 99 |
| Normal Parameters[a,b] | Mean | .024874337 | 1.262730196 | .0643 | 1.2627 | -.1269 | -.1274 |
| | Std. Deviation | .0250738580 | .2675514386 | .04524 | .26867 | .12960 | .13184 |
| Most Extreme Differences | Absolute | .085 | .085 | .101 | .083 | .092 | .107 |
| | Positive | .085 | .085 | .101 | .083 | .058 | .053 |
| | Negative | -.045 | -.054 | -.074 | -.048 | -.092 | -.107 |
| Test Statistic | | .085 | .085 | .101 | .083 | .092 | .107 |
| Asymp. Sig. (2-tailed) | | .073[c] | .073[c] | .014[c] | .086[c] | .040[c] | .007[c] |
| Exact Sig. (2-tailed) | | .444 | .444 | .247 | .470 | .356 | .191 |
| Point Probability | | .000 | .000 | .000 | .000 | .000 | .000 |

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

UJI ASUMSI NORMALITAS UNTUK MODEL 1 DAN MODEL 2

**One-Sample Kolmogorov-Smirnov Test**

| | | Unstandardized Residual | Unstandardized Residual |
|---|---|---|---|
| N | | 99 | 99 |
| Normal Parameters[a,b] | Mean | .0000000 | .0000000 |
| | Std. Deviation | .01951609 | .03840308 |
| Most Extreme Differences | Absolute | .094 | .080 |
| | Positive | .041 | .080 |
| | Negative | -.094 | -.053 |
| Test Statistic | | .094 | .080 |
| Asymp. Sig. (2-tailed) | | .029[c] | .117[c] |
| Exact Sig. (2-tailed) | | .319 | .519 |
| Point Probability | | .000 | .000 |

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

UJI MULTIKOLINEARITAS MODEL 1

**Coefficients[a]**

| Model | | Collinearity Statistics | |
|---|---|---|---|
| | | Tolerance | VIF |
| 1 | X1_1 | .808 | 1.237 |
| | X2_1 | .808 | 1.237 |

a. Dependent Variable: Y1

UJI MULTIKOLINEARITAS MODEL 2

**Coefficients[a]**

| Model | | Collinearity Statistics | |
|---|---|---|---|
| | | Tolerance | VIF |
| 1 | X1_2 | .801 | 1.248 |
| | X2_2 | .801 | 1.248 |

a. Dependent Variable: Y2

UJI AUTOKORELASI MODEL 1 DAN 2

| Ada Auto Positif | Incon clusive | Tidak ada autokorelasi | Incon Clusive | Ada auto Negatf |
|---|---|---|---|---|
| **0** **1.6337** | **1.7152** | **2.248** | **2.3663** | **4** |

K = 3; n = 100
DU= 1,6337;  DU= 1,7152

MODEL 1

**Model Summary[b]**

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Durbin-Watson |
|---|---|---|---|---|---|
| 1 | .628[a] | .394 | .382 | .0197183324 | 1.813 |

a. Predictors: (Constant), X2_1, X1_1

b. Dependent Variable: Y1

MODEL 2

**Model Summary[b]**

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Durbin-Watson |
|---|---|---|---|---|---|
| 1 | .529[a] | .279 | .264 | .03880 | 1.864 |

a. Predictors: (Constant), X2_2, X1_2

b. Dependent Variable: Y2

UJI HETEROSKEDASTISITAS MODEL 1

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | .026 | .007 | | 3.493 | .001 |
| | X1_1 | -.007 | .005 | -.143 | -1.286 | .201 |
| | X2_1 | .020 | .011 | .202 | 1.815 | .073 |

a. Dependent Variable: ABSRESID_1

UJI HETEROSKEDASTISITAS MODEL 2

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | .056 | .014 | | 4.032 | .000 |
| | X1_2 | -.017 | .010 | -.190 | -1.708 | .091 |
| | X2_2 | .038 | .020 | .212 | 1.905 | .060 |

a. Dependent Variable: ABSRESID_2

UJI GOODNESS OF FIT
MODEL 1

**Model Summary[b]**

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Durbin-Watson |
|---|---|---|---|---|---|
| 1 | .628[a] | .394 | .382 | .0197183324 | 1.813 |

a. Predictors: (Constant), X2_1, X1_1

b. Dependent Variable: Y1

MODEL 2

**Model Summary[b]**

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Durbin-Watson |
|---|---|---|---|---|---|
| 1 | .529[a] | .279 | .264 | .03880 | 1.864 |

a. Predictors: (Constant), X2_2, X1_2

b. Dependent Variable: Y2

UJI F MODEL 1

**ANOVA[a]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | .024 | 2 | .012 | 31.232 | .000[b] |
| | Residual | .037 | 96 | .000 | | |
| | Total | .062 | 98 | | | |

a. Dependent Variable: Y1

b. Predictors: (Constant), X2_1, X1_1

UJI F MODEL 2

**ANOVA[a]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | .056 | 2 | .028 | 18.616 | .000[b] |
| | Residual | .145 | 96 | .002 | | |
| | Total | .201 | 98 | | | |

a. Dependent Variable: Y2

b. Predictors: (Constant), X2_2, X1_2

UJI T MODEL 1

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | .009 | .012 | | .741 | .461 |
| | X1_1 | .022 | .008 | .238 | 2.689 | .008 |
| | X2_1 | .094 | .017 | .486 | 5.504 | .000 |

a. Dependent Variable: Y1

UJI T MODEL 2

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | .064 | .023 | | 2.779 | .007 |
| | X1_2 | .017 | .016 | .098 | 1.017 | .312 |
| | X2_2 | .164 | .033 | .477 | 4.932 | .000 |

a. Dependent Variable: Y2